


Camera Link 系列



Camera link

Camera link

(PoCL

28

&

MDR/SDR

500

RoHS 2.0

电缆结构 / 性能

	29AWG	28AWG
	PVC	PVC
	9.6mm	9.6mm
	100± 10	100± 10
	-40 ~-80	-40 ~-80 (
		-5 ~-70

Camera Link 系列

固定型MDRSDRSDRS



ZL7404A217	3M
ZL7404A218	5M
ZL7404A219	8M

ZL7404A220	3M
ZL7404A221	5M
ZL7404A222	8M

ZL7404A214	3M
ZL7404A215	5M
ZL7404A216	8M

ZL7404A223	3M
ZL7404A224	5M
ZL7404A225	8M

ZL7404A211	3M
ZL7404A212	5M
ZL7404A213	8M



Camera Link 系列

高柔型



ZL7404A230	3M
ZL7404A231	5M



ZL7404A232	3M
ZL7404A233	5M

ZL7404A228	3M
ZL7404A229	5M



ZL7404A234	3M
ZL7404A235	5M

ZL7404A226	3M
ZL7404A227	5M


Camera Link 系列

经久耐用的高品质电缆

Camera Link

500

拖链试验




拖链试验说明

0.6m

50mm

60 /

拖链前眼图



拖链 500 万次后眼图

